
کد کنترل

909





آزمون ورودی دورههای کارشناسیارشد ناپیوستهٔ داخل ـ سال ۱۴۰۰

صبح چهارشنبه



«اگر دانشگاه اصلاح شود مملکت اصلاح می شود.» امام خمینی (ره)

جمهوری اسلامی ایران وزارت علوم، تحقیقات و فتّاوری سازمان سنجش آموزش کشور

آموزش مهندسی ـ (کد ۱۲۹۵)

مدت پاسخ گویی: ۹۰ دقیقه

تعداد سؤال: ٧٠

عنوان مواد امتحاني، تعداد و شمارهٔ سؤالات

تا شمارة	از شمارة	تعداد سؤال	مواد امتحاني	رديف
٣٠	1	۳۰	زبان عمومی و تخصصی (انگلیسی)	1
۵۰	۳۱	۲,	ریاضیات (آمار و احتمال، معادلات دیفرانسیل و ریاضیات مهندسی)	۲
٧٠	۵۱	۲٠	مبانی کامپیوتر و برنامهسازی	٣

استفاده از ماشین حساب مجاز نیست.

این آزمون نمرهٔ منفی دارد.

مق جانیه تکثیر و انتشار سؤالات به هر روش (الکترونیکی و...) پس از برگزاری آرمون، برای تمامی اشخاص حقیقی و حقوقی تنها با مجوز این سازمان مجاز میباشد و با متخلفین برابر مقررات وفتار میشود.

صفحه ۲

🗱 داوطلب گرامی، عدم درج مشخصات و امضا در مندرجات جدول ذیل، بهمنزلهٔ عدم حضور شما در جلسهٔ آزمون است.

اینجانب با شمارهٔ داوطلبی با آگاهی کامل، یکسانبودن شمارهٔ صندلی خود را با شمارهٔ داوطلبی مندرج در بالای کارت ورود به جلسه، بالای پاسخنامه و دفترچهٔ سؤالات، نوع و کد کنترل درج شده بر روی دفترچهٔ سؤالات و پائین پاسخنامهام را تأیید مینمایم.

امضا:

زبان عمومي و تخصصي (انگلیسي):

PART A: Vocabulary

<u>Directions</u>: Choose the word or phrase (1), (2), (3), or (4) that best completes each sentence. Then mark the correct choice on your answer sheet.

1-	The police only believed me after an eyewitness my account of the accident.							
	1) displayed	2) constituted	3) corroborated	4) suspected				
2-	The plan is to our advantage; we will all benefit greatly from it.							
	1) concurrent	2) mutual	3) devoted	4) involved				
3-				accful We totally				
	reject violence as a	means of political cha	nge.					
	1) means	2) instruments	3) devices	4) gadgets				
4-	All parents receive a booklet which the school's aims and objectives before their							
	children start their first term.							
	1) clarifies	2) injects	3) conducts	4) notifies				
5-	Increasing the state pension is a aim, but I don't think the country can afford it.							
	1) redundant	2) diverse	3) flexible	4) laudable				
6-	The primary aim in sumo wrestling is to knock your right out of the ring!							
	1) protagonist	2) opponent	3) referee	4) beneficiary				
7-	The cost of the damage caused by the oil will be around \$200 million.							
	1) spill	2) guilt	3) demerit	4) extent				
8-	Most of us when we hear that many children spend more time watching TV							
	than they spend in school. It's a rather scary thought.							
	1) withdraw	2) retreat	3) recoil	4) regress				
9-	Even though he isn't enrolled right now, Calvin says he will go to college							
	1) creatively	2) delicately	3) sentimentally	4) eventually				
10-	You should avoid driving during the snowstorm because the icy roads are							
	1) superficial	2) frigid	3) perilous	4) cautious				

PART B: Cloze Test

<u>Directions</u>: Read the following passage and decide which choice (1), (2), (3), or (4) best fits each space. Then mark the correct choice on your answer sheet.

When it comes to visually identifying a work of art, there is no single set of values or aesthetic traits. A Baroque painting will not necessarily (11) ----- much with a contemporary performance piece, but they are both considered art.

(12) ------ the seemingly indefinable nature of art, there have always existed certain formal guidelines for its aesthetic judgment and analysis. Formalism is a concept in art theory (13) ------ an artwork's artistic value is determined solely by its form, or the way (14) ------. Formalism evaluates works on a purely visual level, (15) ------ medium and compositional elements as opposed to any reference to realism, context, or content.

11-1) share 2) be sharing 3) have shared 4) be shared 2) Despite 3) Regardless 12-1) Although 4) However 2) that in it 3) which 4) in which 13-1) that 4) it is made 14-1) of it made 2) made 3) how it is made 1) are considered 2) considers 15-3) considering 4) and consider

PART C: Reading Comprehension

<u>Directions</u>: Read the following three passages and answer the questions by choosing the best choice (1), (2), (3), or (4). Then mark the correct choice on your answer sheet.

PASSAGE 1:

During the past few decades, professional ethics for engineers has what we have called preventive ethics. Preventive ethics is commonly formulated in rules, and these rules are usually stated in codes of ethics. A look at engineering codes of ethics will show not only that they are primarily sets or rules but also that these rules are for the most part negative in character. The rules are often in the form of prohibitions, or statements that probably should be understood primarily as prohibitions. For example, by one way of counting, 80 percent of the code of the National Society of Professional Engineers (NSPE) consists of provisions that are, either explicitly or implicitly, negative and prohibitive in character. Many of the provisions are explicitly negative in that they use terms such as "not" or "only."

Many provisions that are not stated in a negative form nevertheless have an essentially negative force. The rule having to do with undisclosed conflicts of interest is stated in the following way: "Engineers shall <u>disclose</u> all known or potential conflicts of interest that could influence or appear to influence their judgment or the quality of their services."

This negative character of the codes is probably entirely appropriate, and it is easy to think of several reasons for this negative orientation. First common sense and common morality support the idea that the first duty of moral agents, including professionals, is not to harm others. Second, the codes are formulated in terms of rules that can be enforced, and it is easier to enforce negative rules than positive rules. A rule that states "avoid undisclosed conflicts of interest" is relatively easy to enforce, at least in comparison to a rule that states "hold paramount the welfare of the public."

Another reason for the negative orientation of engineering ethics is the influence of what are often called "disaster cases." which are incidents that resulted, or could have resulted, in loss of life or harm due to technology.

- 16- The author of this passage -----.
 - 1) emphasizes the negative face of engineering ethics
 - 2) formulates the codes of ethics as common rules
 - 3) describes the various components of engineering ethics
 - 4) illustrates negative ethics as a new concept in professional ethics
- 17- The engineering codes, according to the passage, ------
 - 1) are entirely prohibitive in character
 - 2) include provisions being greatly restrictive
 - 3) reveal the explicit and implicit provisions
 - 4) are specified with the terms such as "not" or "only"
- 18- It's referred in the passage that the foremost obligation of engineers is to -----
 - 1) support morality

2) do someone no harm

3) upgrade their services

- 4) maintain their enforced position
- 19- The word "disclose" in paragraph 2 means ------.
 - 1) cover
- 2) reform
- 3) discover
- 4) maintain
- 20- The next following paragraph most likely is about ------.
 - 1) absence of motivational dimension
- 2) limitations of professional ethics
- 3) enforcing the public welfare
- 4) examples of disaster cases

PASSAGE 2:

Conventional engineering education programs deal with structured problems and data. However, in a company working environment, information and data are often subjective, and the management context is usually ambiguous and problems are often ill structured, and the effects of qualitative social and human-related variables tend to prevail. Engineering management curricula are not often designed to help students to learn how to make effective decisions and deal with problem-solving in high ambiguous and uncertain contexts.

The traditional approach in engineering teaching is bottom-up, i.e. from component to system, and in many traditional engineering curricula the stage of dealing with a complete system is never reached. Little focus on systemic thinking and problem-solving is still characterizing many engineering management curricula. The ever-increasing complexity and the size of manufacturing and service systems require a systems approach for the design, implementation, operation, maintenance and retirement of socio-technical systems that tend to be complex. Complexity and uncertainty are the everyday reality for the analysts and problem solvers concerned with complex socio-technological systems with the aim to enhance students skills in systemic thinking, useful to build a consistent model that frames complex policy problems in the form of a system diagram. The scholars suggest also to adopt the so-called issue paper as a main vehicle to support interaction between the analyst and the problem owner or commissioner. The issue paper concentrates on problem framing and preparing it takes the analyst through the whole problem cycle.

Most technology management or engineering and technology management programs appear to have an insufficient coverage of the social, cultural, legal, and political aspects of engineering and technology management. Nevertheless, non-technical skills are increasingly demanded to engineers to be able to <u>affirm</u> their competence and their social function.

- 21- All of the following, based on information given in the passage, are true about a company working environment EXCEPT ------.
 - 1) it's influenced by personal ideas
 - 2) management context is relevant and meaningful
 - 3) its challenges are not structured in a correct way
 - 4) the impacts of the qualitative social and human-related variables are dominated
- 22- It's stated in the passage that issue paper ------.
 - 1) makes the analyst understand the problems in detail
 - 2) focuses on adopting a complex policy problem
 - 3) offers a main vehicle to prepare management frame
 - 4) confines interaction between the problem owner and analyst
- 23- It's a big deal for firms to -----.
 - 1) create a stable position in local markets
 - 2) satisfy global demand by organizing the manufactures
 - 3) try to restrict growth opportunities by globalization
 - 4) confirm their competitive position in high technology markets
- 24- The word "affirm" in paragraph 3 can be substituted by -----.
 - The word and in paragraph 5 can be substituted by -----
- 1) acquire 2) challenge 3) increase 4) maintain
- 25- It's stated in the passage that nowadays many engineering management programs
 - 1) provide students to acquire skills in systemic thinking
 - 2) follow a combination of relative basic analytical methods
 - 3) concentrate hardly on problem solving and effective assessment
 - 4) focus on learning students to be effective decision maker

PASSAGE 3:

There is no more important mission for an engineering school than the preparation of its undergraduates for their careers. In today's rapidly evolving engineering landscape, we have an increased obligation to transform the undergraduate educational experience from the traditional pedantic curriculum in explicit disciplines to a broader foundational experience for life-long success.

Engineering, by its very nature, requires its practitioners to continue learning new things long after their formal education ends. This has never been more true than today, when we can see an accelerated pace of engineering innovation continuing for decades. Engineers need to evolve, and so do engineering schools.

At the College of Engineering, we're taking on that challenge by broadening the education of our students. While mastery of the technical aspects of engineering must remain at the curriculum's core, we need to add new dimensions that will better prepare students for the world of today and tomorrow.

We want to provide an undergraduate education that ensures our graduates can be creators - the artists, if you will - of the scientific and quantitative spheres. They need to understand how technology works so they can be effective as innovators. They also need "soft" skills, such as the ability to communicate their technical ideas and concepts, and galvanize a wide array of people, including those without technological backgrounds and people from other cultures. Combine these skills with the ability to

be life-long learners, and our graduates have the potential to make real impacts that can better our quality of life for generations to come.

The first thing we need to do is capture the imaginations of freshmen as soon as they arrive on campus. The traditional first-year courses are designed to build the fundamental technical skills, and are necessary. They are also difficult and unless students see how this material relates to the extraordinary innovation potential of their chosen major, we run the risk of turning them off to engineering right away. Also, a first year course explicitly dedicated to introducing students to areas in which engineering advances society could help freshmen see the forest while they climb the trees.

We offer an array of enrichment experiences that need to be expanded so more students can take advantage of them.

We also are rapidly expanding the opportunities our students have to work in faculty research labs. This has emerged as another popular <u>endeavor</u> for our students and one where they are enjoying great success.

26- Nowadays we try extremely to -----

- 1) broaden the pace of evolving engineering landscape
- 2) transfer old pedantic engineering to an explicit curriculum
- 3) increase obligation to train more engineering students
- 4) modify classical engineering to an experience for life-long success

27- Engineers, according to the passage, -----

- 1) need to a broad education going beyond the classroom
- 2) require to practice in the scope of new disciplines
- 3) aim to explore new methods related to their careers
- 4) attempt to promote the innovations carried out in engineering

28- To prepare engineering students better for the world of today or tomorrow, ------.

- 1) it requires to create new dimensions in engineering
- 2) the mastery of engineering curriculum must be transformed
- 3) the technical aspects of engineering must be notified more critically
- 4) we should take on the challenges by managing the education of students

29- The word "endeavor" in the last paragraph means ------.

1) chance 2) effort

3) guess

4) section

30- The engineering first year courses ------

- 1) alter the imagination of students of entering the school
- 2) compel them to dedicate themselves to their chosen majors
- may turn off their incentives of being an engineer
- 4) help students climb the trees in the forest

ریاضیات (آمار و احتمال، معادلات دیفرانسیل و ریاضیات مهندسی):

$$(a+b)^{a}(c+d)^{e}$$
 در $a^{\dagger}b^{\dagger}c^{\dagger}d^{\dagger}$ کدام است $a^{\dagger}b^{\dagger}$ (۱ میریب عبارت $a^{\dagger}b^{\dagger}c^{\dagger}d^{\dagger}$ در $a^{\dagger}b^{\dagger}c^{\dagger}d^{$

٣٢- احتمال تعلق به گروه خونی متفاوت بهصورت زیر است.

اگر دو فرد غریبه را به تصادف انتخاب کنیم، چقدر احتمال دارد که هر دو از یک گروه خونی باشند؟

- 1) 70176
- 0/1081 (T
- 0/TYFT (T
- 0/1111 (4
- ۳۳ فرض کنید X دارای تابع احتمال زیر باشد. مقدار $P(X \le Y)$ کدام است -

$$f(x) = cx^{\dagger}, \quad x = 1, 7, ..., \Delta$$

- ۱) <u>۵</u>
- 1) (Y
- DC (T
- 110 (F
- ۳۴- در مطالعه آزمایشگاهی از افراد داوطلب، آزمایشی برای تشخیص وجود ژن خا<mark>صی که عامل بیماری است صورت مطالعه می گیرد. احتمال وجود این ژن در یک فرد برابر ۹٫۰۱ است. چقدر احتمال دارد که از ۱۰۰ نفری که در این <mark>مطالعه</mark> شرکت میکنند کمتر از ۲ نفر دارای این ژن باشند؟</mark>
 - e-1 (1
 - Te-1 (T
 - $1-e^{-r}$ (r
 - 1-7c-1 (4
- ۳۵ طول عمر یک دستگاه الکترونیکی از توزیع نمایی تبعیت میکند. اگر ۱۰٪ این دستگاهها دارای متوسط طول عمر ۲۰۰۰۰ ساعت و بقیه دارای متوسط طول عمر ۵۰۰۰۰ ساعت باشد، احتمال اینکه دستگاه قبل از ۴۰۰۰۰ ساعت از کار بیفتد، چقدر است؟
 - $\circ / 10^{-4} + \circ / 10^{-\frac{5}{4}}$ (1
 - $\circ/9 + \circ/1 e^{-\frac{p}{\Delta}} (7$
 - $1-c/3e^{-\tau}-c/3e^{-\frac{\sigma}{\delta}}$ (T
 - $1 \frac{1}{2} \sqrt{e^{-\tau}} \frac{1}{2} e^{-\frac{\tau}{\Delta}}$ (4)

۳۶ - اگر متغیر تصادفی X دارای توزیع یکنواخت روی فاصله [0,1] و متغیر X به شرط X=x دارای توزیع یکنواخت روی فاصله [x,x+1] باشد، مقدار P(Y>0/0) کدام است؟

- 1 (1
- 0/A (Y
- 0/170 CT
- ۰/۸۷۵ (۴

۳۷ – اگر X دارای تابع چگالی احتمال زیر باشد، بر آوردگر ماکسیمم درستنمایی $E(X^r)$ کدام است؟

$$f(x) = (\theta + 1) x^{\theta} , \circ < x < 1$$

- $\frac{-1-\ln X}{\ln X}$ (1
- $\frac{-r \ln X}{\ln X}$ (7
- $\frac{1}{1-r\ln X}$ (*
- $\frac{\ln X}{1-r\ln X}$ (§

۳۸- زمان کارکرد یک لامپ دارای توزیع نرمال با واریانس ۲۵ ساعت است. اگر بخواهیم فاصله اطمینان ۹۵٪ بیرای میانگین زمان کارکرد لامپ بسازیم بهطوری که طول این فاصله ۶ ساعت باشد، نمونهای با چـه انـدازه لازم اسـت؟ (Z جدول را تقریباً ۲ درنظر بگیرید.)

- 17 (1
- 71 (7
- TD (T
- **ST (**\$

۳۹ - خلاصه اطلاعات زیر نتیجههای بهدست آمده از دو نمونه تصادفی مستقل دو جمعیت نرمال با واریانسهای یکسان است.

$$\mathbf{n} = \mathbf{Y} \circ \qquad \overline{\mathbf{x}} = \mathbf{Y} \mathbf{Y} / \mathbf{Y} \Delta \qquad \mathbf{s}_{\gamma} = \Delta / \mathbf{Y} \Delta$$

$$\mathbf{m} = \mathsf{TT} \quad \overline{\mathbf{y}} = \mathsf{TA}_{/} \Delta \diamond \quad \mathbf{s}_{\mathbf{v}} = \mathsf{F}_{/} \Delta \Delta$$

بر آورد نااریب واریانس مشترک دو جامعه کدام است؟

- */AY (1
- 4/19 (4
- 74,48 (4
- YT/AA (F

اگر بـهجـای مـدل رگرسـیونی خطـی $Y_i=eta_\circ+eta_1\,x_i+\epsilon_i\,\,(i=1,7,...,n)$ علاقــهمنــد بــه مــدل خطــی -۴۰ $\hat{eta}_1^*,\hat{eta}_2^*,\hat{eta}_3^*,\hat{$

$$\hat{\beta}_{\alpha} = \hat{\beta}_{\alpha}^{*}$$
 , $\hat{\beta}_{\gamma} = \overline{x} \hat{\beta}_{\gamma}^{*}$ (1)

$$\hat{\beta}_{\circ}=\hat{\beta}_{\circ}^{*}-\hat{\beta}_{\circ}^{*}\overline{x}^{\mathsf{Y}}\quad,\quad \hat{\beta}_{\circ}=\hat{\beta}_{\circ}^{*}\ (\mathsf{Y}$$

$$\hat{\beta}_{x} = \hat{\beta}_{x}^{*} - \hat{\beta}_{x}^{*} \overline{x}$$
, $\hat{\beta}_{x} = \hat{\beta}_{x}^{*}$ (\hat{x}

$$\hat{\beta}_{v} = \hat{\beta}_{v}^{*} - \hat{\beta}_{v}^{*} \overline{x} \quad , \quad \hat{\beta}_{v} = \overline{x} \hat{\beta}_{v}^{*} \ ($$

با در نظر گرفتن جوابی به فرم $\mathbf{y}=\sum_{n=\infty}^{\infty}a_{n}\mathbf{x}^{n}$ برای معادلهٔ دیفرانسیل $\mathbf{y}=\mathbf{y}'+\mathbf{x}$ ، ضرایب به چه فرم هستند؟

$$a_{Yn} = 0$$
, $a_{Yn-1} = (-1)^n \frac{a_1}{Y^n n!}$ (1)

$$a_{\gamma n} = 0$$
, $a_{\gamma n+1} = (-1)^n \frac{a_1}{\gamma^{(\gamma n+1)}(\gamma n+1)!}$ (Y

$$a_{\gamma n-1} = 0$$
, $a_{\gamma n} = (-1)^n \frac{a_s}{\gamma^n n!}$ (7)

$$a_{\gamma_n+1} = 0$$
, $a_{\gamma_n} = (-1)^n \frac{a_n}{\gamma^{\gamma_n}(\gamma_n)!}$ (*

۴۲ - جواب معادلة ديفرانسيلي انتگرال زيو، كدام است؟

 $y'' - y = \int_0^t y(x) \sinh(t - x) dx, y(0) = 1, y'(0) = 0$

$$y(t) = e^{\gamma t} + \frac{1}{\gamma} \cosh \sqrt{\gamma} t - \frac{1}{\gamma} t$$
 (1)

$$y(t) = e^{rt} + \frac{1}{r} \cosh \sqrt{r}t - \frac{1}{r}$$
 (7)

$$y(t) = e^{\gamma t} - \frac{1}{\gamma} \cosh \sqrt{\gamma} t + \frac{1}{\gamma} t \ (\gamma$$

$$y(t) = e^{rt} - \frac{1}{r} \cosh \sqrt{r}t + \frac{1}{r} (r)$$

جند خواهد بود؟ a+b اگر لایلاس معکوس $F(s)=rac{as+b}{\sqrt{s+\Delta}}$ موجود و در $t=\pi$ حاصل آن ۱ باشد، مقدار $f(s)=\frac{as+b}{\sqrt{s+\Delta}}$

$$\pi e^{\Delta \pi}$$
 (1

$$\pi e^{-\Delta\pi}$$
 (Y

$$\frac{e^{-\Delta\pi}}{\pi}$$
 (°

$$\frac{e^{\delta\pi}}{\pi}$$
 (*

صفحه ۱۰

اگر $J_{\rm o}$ اگر است؛ ($J_{\rm o}$) تابع بسل از مرتبهٔ صفر است.) اگر است؛ ($J_{\rm o}$) تابع بسل از مرتبهٔ صفر است.) اگر $J_{\rm o}$

$$\frac{1}{(s^{\gamma}+1)^{\frac{\gamma}{\gamma}}}$$
 (1)

$$\frac{s-r}{s(s^r-rs+\Delta)^r}$$
 (r

$$\frac{s+r}{s(s^7+rs+a)^r}$$

$$\frac{s+r}{-s(s^{\gamma}+rs+\Delta)^{\frac{r}{r}}} (r$$

۴۵ - تابع f در بازهٔ ۲ < x < ۲ تعریف شده و متناوب است، اگر f دارای سری فوریه با ضرایب

باشد، آنگاه حاصل
$$\mathbf{b}_n = \left(\frac{\tau}{\sqrt{\Delta}}\right)^n$$
 , $\mathbf{a}_n = \left(\frac{\tau}{\tau}\right)^n$ کدام است؟

10 (1

$$\frac{Y\sqrt{\Delta}}{\sqrt{\Delta}-Y}$$
 (4)

برابر کدام است $\mathbf{x}^\mathsf{T} \mathbf{f}(\mathbf{x})$ برابر کدام است \mathbf{A} برابر کدام است \mathbf{A}

$$\int_{-\infty}^{\infty} \Lambda^*(w) \cos(x \, w) dw , \Lambda^* = \frac{-d\Lambda}{dw}$$
 (1)

$$\int_{a}^{\infty} \Lambda^{*}(w) \sin(x w) dw , \Lambda^{*} = \frac{-d^{T}A}{dw^{T}} (T)$$

$$\int_{0}^{\infty} A^{*}(w) \sin(x w) dw , A^{*} = \frac{-dA}{dw}$$

$$\int_{a}^{\infty} A^{*}(w) \cos(x w) dw , A^{*} = \frac{-d^{7}A}{dw^{7}}$$

۴۷ - اگر تبدیل فوریهٔ سینوسی تابع F(w) . $f(t) = te^{-at}\cos t$ باشد، حاصل F(t) . کدام است؟

$$\frac{\Upsilon a}{\left(a^{\Upsilon}+\Upsilon\right)^{\Upsilon}}$$
 (1)

$$\frac{\mathbf{f} - \mathbf{a}^{\mathsf{f}}}{(\mathbf{a}^{\mathsf{f}} + \mathbf{f})^{\mathsf{f}}} \ (\mathsf{f}$$

$$\frac{-1}{a^t + t}$$
 (r

$$\frac{-Ya}{(a^Y+f)^Y}$$
 (f

در معادلهٔ موج زیر، مقدار $\left(\frac{\Psi}{Y},1\right)$ کدام است؟

$$\begin{cases} \mathbf{u}_{11} - \mathbf{u}_{xx} = 0, & 0 < x < 1 \\ \mathbf{u}(x, 0) = 0 \\ \mathbf{u}(0, t) = \mathbf{u}(1, t) = 0 \\ \mathbf{u}_{t}(x, 0) = \mathbf{g}(x) \end{cases}$$

$$g(x) = \begin{cases} \gamma x & 0 \le x \le \frac{1}{\gamma} \\ -\gamma x + \gamma & \frac{1}{\gamma} \le x \le 1 \end{cases}$$

1 (1

Y (T

۳ (۳

0 (4

و |z|=1 در جهت خلاف عقربــههــای $C=C_1 \cup C_7$ و $C=C_1 \cup C_7$ در جهت خلاف عقربــههــای z=-1

ساعت و ۲۰ دایرهٔ ۱ = | ۱ در جهت عقربههای ساعت هستند.

$$\pi(\lambda i - F)$$
 (1

$$\pi(\lambda i - \Delta)$$
 (Y

$$\pi(si+f)$$
 (*

$$\pi(\hat{r}i-f)$$
 (f

وع قطب و مقدار ماندهٔ تابع
$$\int \frac{-\Upsilon}{\tan\frac{1}{z}+\cot\frac{1}{z}}$$
 در نقطهٔ $z=0$ در نقطهٔ $z=0$ کدام است؟

$$Resf = -Y$$
 اساسی (۳

مبانی کامپیوتر و برنامهسازی:

```
۵۱ - پس از اجرای این کدها مقدار متغیر a کدام است؟
```

```
int a = 10:
int b = 20:
int c = 30:
a+=(++b+c++);
                                        84 (4
                                                                81 CT
            ۴) نامشخص
                                                                   ۵۲ - با فرض داشتن تابع f بهصورت:
int f (int a, int b) {
   return a + b;
}
                                                           قطعه کد زیر چه مقداری را چاپ می کند؟
int x = 10;
print f("\%d", f(++x, x++));
                                         T1 (T
                                                                                      10 (1
                 ۴) نمی توان یا قطعیت مشخص کرد.
                                                                                      TT (#
```

هدف قطعه کد زیر این است که سه متغیر a و b و c را به ترتیب غیرصعودی مرتب کند ($a \ge b \ge c$). فرض کنید $- a \ge b \ge c$ به درستی محتوا دو متغیر را جابه جا می کند. برای آزمون این قطعه کد مقادیر اولیه مختلف برای ایس سه متغیر را به عنوان موارد آزمون در نظر می گیریم. چه شرطی روی این مقادیر حتماً منجر به کارکرد <u>نادرست</u> برنامه می شود؟ به عبارت دیگر هر ورودی که شرط را ارضاء کند منجر به نتیجه نادرست شود.

```
if (a < b)

swap(a, b);

if (a < c)

swap(a, c);

else if (b < c)

swap(b, c);
```

۵۴ کدام یک از موارد زیر از مشکلات متغیرهای سراسری نیست؟

۱) خوانایی پایین برنامه ۲) سرعت پایین برنامه

۳) خطایذیری بالای برنامه (۴) سختشدن استفاده مجدد

۵۵ - تعریف فیلدهای یک کلاس به شکل خصوصی، باعث کدام مورد می شود؟

۱) انعطاف پذیری در برابر تغییرات ۲) حفظ محرمانگی اطلاعات

٣) افزايش سرعت برنامه ۴) کاهش حجم برنامه

```
۵۶- بخش مشخص شده با /*missing code/ را با چه گزینه ای جایگزین کنیم تا رابطه زیر برقرار باشد؟
f(x,n) = \sum_{i=1}^{n} \frac{x^{i}}{i!}
double f(double x, int n, int i = 1, double term = 1) {
    if \{i > n\}
        return 0;
     return/* missing code */;
}
                                                                    x * f(x, n, i+1, term/i)
                                                               x+f(x,n,i+1,term+x/i) (Y
                                                            term + f(x,n,i+1,term*x/i) (*
                                                            term*f(x,n,i+1,term*x/i) (*
                                                  کدام مورد از مزایای طراحی بالا به پایین محسوب نمی:
                                                                                                   AY
                                                                     ١) بالا رفتن سرعت اجراي برنامه
                         ٢) ساده شدن آزمون برنامه
                         ۴) بالا رفتن خوانایی برنامه
                                                                       ۲) ساده شدن طراحی برنامه
۵۸ - با داشتن یک لیست پیوندی با ساختار زبر، تابع find_last اشارهگر به آخری<mark>ن گرها</mark>ی را برمیگردانید کیه حیاوی
دادهای با مقدار key است. درصورتی که چنین گرهای پیدا نشود، مقدار بازگشتی NULL است. بــه ایــن م<mark>نظــو</mark>ر
                                               کدام گزینه باید به حای /*missing code*/ قرار گیرد؟
struct Node {
     int data:
     Node* next;
};
Node* find last (Node* list, int key) {
    if (!list)
       return NULL;
    Node* p = find_last((list-> next), key);
    return /* missing code */;
1
                                                            list - > data == key ? list : p ()
                                                          p-> data == key ? p : NULL (7)
                                            p ? p : list -> data == key ? list : NULL (Y
                           list -> data == key ? list : p -> data == key ? p : NULL (*)
```

```
ست. به جای شرط * missing به عبارتی قرار بگیرد تا ^* ست. به جای شرط * missing به عبارتی قرار بگیرد تا ^*
                                                              تضمین شود تابع درست کار مے،کند؟
int binary search(int arr[], int l, int r, int x) {
           while (/* missing */) {
                     int m = 1 + (r-1) / 2;
                     if (arr[m] = x)
                                return m;
                     if (arr[m] < x)
                                l = m + 1;
                     else
                                r = m - 1;
           }
           return -1;
}
                                    l == r (7)
                                                                                    1 < r()
               (1 < r) \mid (arr[r] == x) (*
                                                                                  I <= r (*
                                                     نتیجه فراخوانی تابع ()g کدام گزینه خواهد بود؟
void f(int i) {
  try {
     cout << "fl ";
     if (i % 2) throw runtime error("error");
     cout << "f2 ";
  } catch (runtime error ex) {
     cout << "f3 ";
     throw runtime_error("I insist!");
     cout << "f4 ";
  cout << "f5 ";
void g() {
  try {
     f(1);
     cout << "gl ";
  } catch (runtime error ex) {
    cout << "g2 ";
  cout << "g3 ";
}
                            f1 f3 g1 g2 g3 (Y
                                                                             f1 f3 g2 g3 (1
                                                                         f1 f3 f4 g2 g3 (*
                           f1 f2 f5 g1 g3 (f
```

```
 ۶۱ - اگر به برنامه زیر، ورودی abcdefg داده شود، خروجی کدام گزینه خواهد بود؟

void change(char a[]) {
   puts(a);
int main() {
  char x [10], *ptr = x;
  scanf ("%s", x);
  change(&x[4]);
}
                                        abcd ("
                                                                  efg (Y
              ۴) هيچکدام
                                                                                         abc (1
                                                              نتیجه اجرای برنامه زیر کدام گزینه است؟
#include <stdio.h>
int main()
  int i = 10;
  void p = i;
  printf("%d\n", (int)*p);
   return 0:
3
         ۴) خطای کامیایل
                               ٣) خطاي زمان اجرا
                                                       ۲) رفتار تعریف نشده
                                                                                            10 (1
                                                                    ۶۳ نتیجه برنامه زیر کدام مورد است؟
#include <stdio.h>
int main() {
  int a = 1, b = 1;
  switch (a) {
    case a*b:
      printf("yes ");
    case a-b:
      printf("no\n");
      break;
         ۴) خطای کامیایل
                                      yes no ("
                                                                  ves (t
                                                                                            no (\
                                                                  9۴ - بدنة ابن حلقه چند بار اجرا مي شود؟
for(j = 1; j \le 10; j = j-1) /* loop body */
                                           10 (4
              ۴) ہے نہایت
                                                                     1 (1
                                                                                           ۱) صفر
فرض کنید مقدار اشارهگری از نوع "int به نام p برابر ۱۰۰۰ است. اگر اندازه هر int ۴ بایت باشد، مقدار p + 2
                                                                                       كدام است؟
                100A (F
                                       1008 (4
                                                                1008 (1
                                                                                         1001 (1
                                                              ۶۶ کدامیک از گزینههای زیر نادرست است؟
                                                      ۱) کامپایلر برنامه را به زبان اسمبلی ترجمه می کند.
                                            ٢) زبان هاي اسكريپتنويسي معمولاً توسط مفسر اجرا مي شوند.
                                    ۳) اجرای برنامه با مفسر معمولاً کندتر از اجرای برنامه کامپایلشده است.
                                 ۴) برنامهای که کامیایل می شود لزوماً قابل اجرا در هر پلتفرم مقصدی نیست.
```

```
۶۷ کدام تابع بهدرستی عناصر هر آرایهای از اعداد صحیح را چاپ میکند؟
void print array1(int arr|size|) {
      for (int i = 0; i < size; i++)
                              printf("%d", arr[i]);
void print_array2(int arr||) {
                      for (int i = 0; i < size of arr; i++)
                                       printf("%d ", arr[i]);
}
void print array3(int arr||, int size) {
                      for (int i = 0; i < size; i++)
                                       printf("%d", arr[i]);
void print array4(int arr[]) {
                      for (int i = 0; i < sizeof arr / sizeof(int); i++)
                                      printf("%d ", arr[i]);
}
                                                      print array2 (v print array1 (v
      print array4 (*
                            print array3 (*
                                                               ۶۸ کدام یک از عبارات زیر نادرست است؟
                                                        ۱) یک اشاره گر می تواند به یک آرایه اشاره کند.
                                               ۲) یک اشاره گر همیشه به حافظه ای در هیپ اشاره می کند.
                                           ۳) مقدار اشاره گرها را می توان در جریان اجرای برنامه تغییر داد.
                                   ۴) اندازه یک اشاره گر به عدد صحیح و اشاره گر به عدد اعشاری یکی است.
                                                        قطعه کد زیر چند بار کلمه Hi را چاپ می کند؟
                                                                                                   99
 for (int i = 0; i < 5; i++) {
    for (int j = 0; j < 4; j++)
      if (i > 1)
         break;
    printf ("Hi ");
                                            Y (T
                                                                    D (Y
                                                                                            4 (1
                                                                  نتیجه اجرای برنامه زیر کدام است؟
#include <stdio.h>
int main()
{
     int x = 8;
   printf("%d", x);
   return 0;
}
         ۴) خطای کامیایل
                                     ۲) نامشخص
                                                                                         ۱) صفر
                                                                    A CT
```